STATEMENT OF WORK FOR THE REBUILD OF THE MACHINE GUN, 7.62MM M240G NSN 1005-01-157-3081

Document Control Number: SOW-02-833-2-8G209B-1/1 Date: 12 Oct 00 REBUILD OF
RECEIVER FOR THE
MACHINE GUN, 7.62MM M240G
NSN 1005-01-157-3081
SOW-02-833-2-8G209B-1/1

Date: 12 October 2000

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW) established and sets forth tasks and identifies the requirements that shall be performed by the contractor to rebuild the Receiver for the Machine Gun, M240G, NSN 1005-01-157-3081, in support of the M240G ID Number 09712A, VAMCN E0989, NSN 1005-01-359-2714 to condition code "A". Condition Code "A" is defined as serviceable/issuable without qualification, new used, repaired, or reconditioned material which is serviceable and issuable to all customers without limitation or restriction.
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacements of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items.
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-2073-1D MIL-STD-129 Standard Practice for Military Packaging Standard Practice for Military Marking

Military Standards (Guidance Only)

MIL-STD-973

Configuration Management

2.2 Other Government Documents and Publications. The issues of those documents c ted below shall be used.

TM 08670A/09712A-23&P/2B Unit and Direct Support Maintenance Manual Machine Gun, 7.62mm, M240G

DMWR 9-1005-313 USAAMCCOM Depot Maintenance Work Requirement

DoD 4000,25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel From

the Federal Supply System

2.3 Industry Standards

ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications may be obtained from the Contracting Officer: Commander, Marine Corps Logistics Bases, (Cc de 833-2), 814 Radford Blvd, Albany, GA 31704-1128, commercial telephone number (229) 639-6613 or DSN 567-6613. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd, Suite 20320, Albany, GA 31704-1128, commercial telephone number (229) 639-6410 or 567-6410.

3.0 Requirements

- 3.1 The Contractor shall rebuild the Receiver in accordance with DMWR 9 1005-313, and TM 08670A/09712A-23&P/2B.
- 3.2 Quality Assurance Provisions. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System model for Quality Assurance in Final Inspection and Test.

3.3 Packaging, Handling Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being rebuilt under the terms of this statement of work. Items being prepared for shipment shall be preserved and packaged to Level "A" requirements of MIL-STD-2073-1D, Method 33.
 - b. Marking shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.

- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM) GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statemer t of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- 3.6 <u>Configuration Control</u>. The baseline configuration for the Receiver on the M240C has been established in TM 08670A/09712A-23&P/2B. No deviations from this approved baseline will be allowed due to safety factors.
- 3.7 <u>Contractor Furnished Materiel (CFM)</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DOD Supply System.